

GLYPHOSATE

fact sheet

What is glyphosate?

Glyphosate is an herbicide. It is applied to the leaves of plants to kill both broadleaf plants and grasses. The sodium salt form of glyphosate is used to regulate plant growth and ripen specific crops.

Glyphosate was first registered for use in the U.S. in 1974. Glyphosate is one of the most widely used herbicides in the United States. People apply it in agriculture and forestry, on lawns and gardens, and for weeds in industrial areas. Some products containing glyphosate control aquatic plants.




photo credit: Peter Dargatz, pixabay

What are some products that contain glyphosate?

Glyphosate comes in many forms, including an acid and several salts. These can be either solids or an amber-colored liquid. There are over 750 products containing glyphosate for sale in the United States.

IMPORTANT: Always follow label instructions and take steps to avoid exposure. If any exposures occur, be sure to follow the First Aid instructions on the product label carefully. For additional treatment advice, contact the Poison Control Center at 800-222-1222. If you wish to discuss a pesticide problem, please call 800-858-7378.

How does glyphosate work?

Glyphosate is a non-selective herbicide, meaning it will kill most plants. It prevents the plants from making certain proteins that are needed for plant growth. Glyphosate stops a specific enzyme pathway, the shikimic acid pathway. The shikimic acid pathway is necessary for plants and some microorganisms.

How might I be exposed to glyphosate?


You can be exposed to glyphosate if you get it on your skin, in your eyes or breathe it in when you are using it. You might swallow some glyphosate if you eat or smoke after applying it without washing your hands first. You may also be exposed if you touch plants that are still wet with spray. Glyphosate isn't likely to vaporize after it is sprayed.

What are some signs and symptoms from a brief exposure to glyphosate?

Pure glyphosate is low in toxicity, but products usually contain other ingredients that help the glyphosate get into the plants. The other ingredients in the product can make the product more toxic. Products containing glyphosate may cause eye or skin irritation. People who breathed in spray mist from products containing glyphosate felt irritation in their nose and throat. Swallowing products with glyphosate can cause increased saliva, burns in the mouth and throat, nausea, vomiting, and diarrhea. Fatalities have been reported in cases of intentional ingestion.

GLYPHOSATE

fact sheet



Pets may be at risk if they touch or eat plants that are still wet with spray from products containing glyphosate. Animals exposed to products with glyphosate may drool, vomit, have diarrhea, lose their appetite, or seem sleepy.

What happens to glyphosate when it enters the body?

In humans, glyphosate does not easily pass through the skin. Glyphosate that is absorbed or ingested will pass through the body relatively quickly. The vast majority of glyphosate leaves the body in urine and feces without being changed into another chemical.

Is glyphosate likely to contribute to the development of cancer?

Animal and human studies were evaluated by regulatory agencies in the USA, Canada, Japan, Australia, and the European Union, as well as the Joint Meeting on Pesticide Residues of the United Nations and World Health Organization (WHO). These agencies looked at cancer rates in humans and studies where laboratory animals were fed high doses of glyphosate. Based on these studies, they determined that glyphosate is not likely to be carcinogenic. However, a committee of scientists working for the International Agency for Research on Cancer (IARC) of the WHO evaluated fewer studies and reported that glyphosate is probably carcinogenic.

Has anyone studied non-cancer effects from long-term exposure to glyphosate?

Long-term feeding studies in animals were assessed by the U.S. Environmental Protection Agency (EPA) and other regulatory authorities. Based on these evaluations, they found there is no evidence glyphosate is toxic to the nervous or immune systems. They also found it is not a developmental or reproductive toxin.

Are children more sensitive to glyphosate than adults?

As required by the Food Quality Protection Act, the EPA has determined that children are not more sensitive to glyphosate as compared to the general population.


What happens to glyphosate in the environment?

Glyphosate binds tightly to soil. It can persist in soil for up to 6 months depending on the climate and the type of soil it is in. Glyphosate is broken down by bacteria in the soil.

Glyphosate is not likely to get into groundwater because it binds tightly to soil. In one study, half the glyphosate in dead leaves broke down in 8 or 9 days. Another study found that some glyphosate was taken up by carrots and lettuce after the soil was treated with it.

GLYPHOSATE

fact sheet



Can glyphosate affect birds, fish, or other wildlife?

Pure glyphosate is low in toxicity to fish and wildlife, but some products containing glyphosate may be toxic because of the other ingredients in them. Glyphosate may affect fish and wildlife indirectly because killing the plants alters the animals' habitat.

Where can I get more information?

For more detailed information, visit the list of references below, call NPIC at 800-858-7378, or email us at npic@oregonstate.edu. NPIC provides objective, science-based answers to questions about pesticides.

Date Reviewed: 2010; limited revisions made: March 2019


Cite as: Henderson, A. M.; Gervais, J. A.; Luukinen, B.; Buhl, K.; Stone, D.; Cross, A.; Jenkins, J. 2010. *Glyphosate General Fact Sheet*; National Pesticide Information Center, Oregon State University Extension Services. npic.orst.edu/factsheets/glyphogen.html.

References:

1. Tomlin, C. D. S. *The Pesticide Manual: A World Compendium*, 14th ed.; British Crop Protection Council: Hampshire, UK, 2006; pp 545- 548.
2. RED Facts: Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
3. Roberts, T. R. *Metabolic Pathways of Agrochemicals-Part 1: Herbicides and Plant Growth Regulators*; The Royal Society of Chemistry: Cambridge, UK, 1998; pp 396-399.
4. *Herbicide Handbook*, 8th ed.; Vencill, W. K. Ed.; Weed Science Society of America: Lawrence, KS, 2002; p 231-234.
5. Roundup herbicide bulletin Number 1; Monsanto Agricultural Products Company: St. Louis, MO, 1980.
6. Reregistration Eligibility Decision (RED): Glyphosate; EPA-738-R-93-014; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
7. Giesey, J. P.; Dobson, S.; Solomon, K. R. Ecotoxicological risk assessment for Roundup herbicide. *Rev. Environ. Contam. Toxicol.* 2000, 167, 35-120.
8. SRC PhysProp Database: Glyphosate; Syracuse Research Corporation. <http://www.syrres.com/what-we-do/databaseforms.aspx?id=386> (accessed Dec 2007), updated Jan 2010.
9. Shaner, D. L. The impact of glyphosate-tolerant crops on the use of other herbicides and on resistance management. *Pest Manag. Sci.* 2000, 56, 320-326.
10. Franz, J. E.; Mao, M. K.; Sikorski, J. A. *Glyphosate: A Unique Global Herbicide*; American Chemical Society: Washington, DC, 1997; pp 521-527, 604-605, 615.
11. WHO. *Data Sheets on Pesticides: Glyphosate*; International Programme on Chemical Safety, World Health Organization, Food and Agriculture Organization: Geneva, Switzerland, 1996.

GLYPHOSATE


fact sheet



25. Acquavella, J. F.; Weber, J. A.; Cullen, M. R.; Cruz, O. A.; Martens, M. A.; Holden, L. R.; Riordan, S.; Thompson, M.; Farmer, D. Human ocular effects from self-reported exposures to Roundup herbicides. *Hum. Exp. Toxicol.* 1999, 18 (8), 479-486.
26. Reyna, M. Twelve month study of glyphosate administered by gelatin capsule to beagle dogs. Unpublished Report no. 830116, project no. ML-83-137, 1985, submitted to U.S. Environmental Protection Agency by Monsanto Company Environmental Health. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
27. Stout, L.; Ruecker, F. Chronic study of glyphosate administered in feed to albino rats. Unpublished Report no. MSL-10495 R.D. 1014, 1990, submitted to U.S. Environmental Protection Agency by Monsanto Agricultural Company. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
28. Atkinson, C.; Strutt, A.V.; Henderson, W.; Finch, J.; Hudson, P. Glyphosate: 104 week combined chronic feeding/oncogenicity study in rats with 52 week interim kill (results after 104 weeks). Unpublished report No. 7867, IRI project no. 438623, 1993, submitted to World Health Organization by Cheminova A/S, Lemvig, Denmark, prepared by Inveresk Research International, Tranent, Scotland. *Pesticide Residues in Food - 2004: Toxicological evaluations; International Programme on Chemical Safety, World Health Organization: Geneva, Switzerland, 2004.*
29. Haas, M.C. Glyphosate- 28-Day Oral (Dietary) Immunotoxicity Study in Female B6C3F1 Mice. Unpublished Report No. 48934207, Project No WIL-50393, 2012, submitted to U.S. Environmental Protection Agency by WIL Research. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention, U.S. Government Printing Office: Washington, DC, 2013.
30. Glyphosate. Draft Human Health Risk Assessment in Support of Registration Review; U.S. Environmental Protection Agency, Office of Prevention, Pesticides and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 2017.
31. FAO. *Pesticide Residues in Food - 2004: Toxicological evaluations; International Programme on Chemical Safety, World Health Organization, Food and Agriculture Organization: Rome, Italy, 2004.*
32. FAO. *Pesticide Residues in Food - 2011: Toxicological evaluations; International Programme on Chemical Safety, World Health Organization, Food and Agriculture Organization: Geneva, Switzerland, 2011; pp. 373-385.*
33. Human-Health Assessment Scoping Document in Support of Registration Review: Glyphosate; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 2009.
34. Lavy, T. L. Conifer seedling nursery worker exposure to glyphosate. *Arch. Environ. Contam. Toxicol.* 1992, 22, 6-13.
35. Jauhiainen, A.; Rasanen, K.; Sarantila, R.; Nuutinen, J.; Kangas, J. Occupational exposure of forest workers to glyphosate during brush saw spraying work. *Am. Ind. Hyg. Assoc. J.* 1991, 52 (2), 61-64.
36. Acquavella, J. F.; Alexander, B. H.; Mandel, J. S.; Gustin, C.; Baker, B.; Chapman, P.; Bleeke, M. Glyphosate biomonitoring for farmers and their families: results from the Farm Family Exposure Study. *Environ. Health Perspect.* 2004, 112 (3), 321-326.

GLYPHOSATE


fact sheet



12. Wu, J. Y.; Chang, S. S.; Tseng, C. P.; Deng, J. F.; Lee, C. C. Parenteral glyphosate-surfactant herbicide intoxication. *Am. J. Emerg. Med.* 2006, 24 (4), 504-506.
13. Williams, G. M.; Kroes, R.; Munro, I. C. Safety evaluation and risk assessment of the herbicide Roundup and its active ingredient, glyphosate, for humans. *Regul. Toxicol. Pharmacol.* 2000, 31, 117-165.
14. Bradberry, S. M.; Proudfoot, A. T.; Vale, J. A. Glyphosate poisoning. *Toxicol. Rev.* 2004, 23 (3), 159-167..
15. Bates, N.; Campbell, A. *Handbook of Poisoning in Dogs and Cats - Glyphosate*; Campbell, A.; Chapman, M., Eds.; Blackwell Science Ltd: Oxford, England, 2000; pp 135-138.
16. Monsanto Department of Medical and Health Sciences. Roundup and other glyphosate/tallowamine surfactant-containing herbicides: The clinical effects and their management. Unpublished report, 1994, cited in Burgat, V.; Keck, G.; Guerre, P.; Bigorre, V.; Pineau, X. Glyphosate toxicosis in domestic animals: A survey from the data of the Centre National d'Informations Toxicologiques Veterinaires (CNITV). *Vet. Hum. Toxicol.* 1998, 40 (6), 363-367.
17. Birch, M. Toxicological investigation of CP 67573-3. Unpublished Report no. 4-70-90, 1970, submitted to U.S. Environmental Protection Agency by Monsanto Corporation, prepared by Younger Laboratories, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
18. Blaszcak, D., Primary dermal irritation study in rabbits for glyphosate technical (wetcake). Unpublished Report no. BD-88- 114, project number 4887, 1988, submitted to U.S. Environmental Protection Agency by Monsanto Corporation, prepared by BioDynamics, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
19. Blaszcak, D. Eye irritation study in rabbits for glyphosate technical (wetcake). Unpublished Report no. BD-88-114, project no. 4888-88, 1988, submitted to U.S. Environmental Protection Agency by Monsanto Corporation, prepared by BioDynamics, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
20. Maibach, H. I. Irritation, sensitization, photoirritation and photosensitization assays with a glyphosate herbicide. *Contact Derm.* 1986, 15, 152-156.
21. Rattray, N. J. Glyphosate acid: 4-hour acute inhalation toxicity study in rats. Unpublished Report no. CTL/P/4882, study no. HR2884, 1996, submitted to WHO by Syngenta Crop Protection AG, Basel, Switzerland, prepared by Zeneca Agrochemicals, Central Toxicology Laboratory, Alderley Park, Maccelsfield, Cheshire, England. *Pesticide Residues in Food - 2004: Toxicological evaluations*; International Programme on Chemical Safety, World Health Organization: Geneva, Switzerland, 1996.
22. Welch, S. Glyphosate. *Clinical Veterinary Toxicology*; Plumlee, K. H., Ed.; Mosby: St. Louis, 2004; pp 162-163.
23. Burgat, V.; Keck, G.; Guerre, P.; Bigorre, V.; Pineau, X. Glyphosate toxicosis in domestic animals: A survey from the data of the Centre National d'Informations Toxicologiques Veterinaires (CNITV). *Vet. Hum. Toxicol.* 1998, 40 (6), 363-367.
24. Talbot, A. R.; Shiaw, M. H.; Huang, J. S.; Yang, S. F.; Goo, T. S.; Wang, S. H.; Chen, C. L.; Sanford, T. R. Acute poisoning with a glyphosatesurfactant herbicide ('Roundup'): A review of 93 cases. *Hum. Exp. Toxicol.* 1991, 10 (1), 1-8.

GLYPHOSATE


fact sheet



37. Chan, P. C.; Mahler, J. F. NTP Technical Report on toxicity studies of glyphosate (CAS No. 1071-83-6) administered in dosed feed to F344/N rats and B6C3F1 mice. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicology Program: Research Triangle Park, NC, 1992; pp 12-13, 24.
38. Endocrine Disruption Screening Program Weight of Evidence Conclusions on the Tier I Screening Assays for the List 1 Chemicals; U.S. Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention, U.S. Government Printing Office, Washington, DC, 2015.
39. Revised Glyphosate Issue Paper: Evaluation of Carcinogenic Potential; U.S. Environmental Protection Agency, Office of Prevention, Pesticides and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 2017.
40. Knezevich, A.; Hogan, G. A chronic feeding study of glyphosate (Roundup technical) in mice. Unpublished Report no. BDN-77420, project no. 77-2061, 1983, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by BioDynamics, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
41. McConnel, R. A chronic feeding study of glyphosate (Roundup technical) in mice: pathology report on additional kidney sections. Unpublished project no. 77-2061A, 1985, submitted to U.S. Environmental Protection Agency prepared by BioDynamics, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
42. Cavas, T.; Konen, S. Detection of cytogenic and DNA damage in peripheral erythrocytes of goldfish (*Carassius auratus*) exposed to a glyphosate formulation using the micronucleus test and the comet assay. *Mutagenesis* 2007, 22 (4), 263-268.
43. Final Re-Evaluation Decision RVD2017-01; Health Canada, Pest Management Regulatory Agency: Ottawa, Ontario, Canada, 2017.
44. Food Safety Commission of Japan. Risk Assessment Report: Glyphosate Summary. *Food Saf.* 2016, 4 (3), 93-102.
45. Final Regulatory Position: Consideration of the Evidence for a Formal Reconsideration of Glyphosate; Australian Pesticides and Veterinary Medicines Authority: Kingston, ACT, 2604, Australia, 2017.
46. European Food Safety Authority (EFSA). Conclusion on the Peer Review of the Pesticide Risk Assessment of the Active Substance Glyphosate. *EFSA J.* 2015, 13 (11).
47. Glyphosate and Glyphosate Formulations: Research Overview; U.S. Department of Health and Human Services, National Toxicology Program: Washington, DC, 1992.
48. Pesticide Residues in Food 2016: Special Session of the Joint FAO/WHO Meeting on Pesticide Residues; Food and Agriculture Organization, World Health Organization: Rome, Italy, 2016; pp 19-28.
49. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans-Some Organophosphate Insecticides and Herbicides; World Health Organization, International Agency for Research on Cancer: Geneva, 2017; Vol. 112.
50. Tarazona, J. V.; Court-Marques, D.; Tiramani, M.; Reich, H.; Pfeil, R.; Istace, F.; Crivellente, F. Glyphosate Toxicity and Carcinogenicity: A Review of the Scientific Basis of the European Union Assessment and Its Differences with IARC. *Arch. Toxicol.* 2017, 91 (8), 2723-2743.

GLYPHOSATE


fact sheet



51. Portier, C. J.; Armstrong, B. K.; Baguley, B. C.; Baur, X.; Belyaev, I.; Bellé, R.; Belpoggi, F.; Biggeri, A.; Bosland, M. C.; Bruzzi, P.; et al. Differences in the Carcinogenic Evaluation of Glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). *J. Epidemiol. Community Health* 2016, 70 (8), 741–745.
52. De Roos, A. J.; Blair, A.; Rusiecki, J. A.; Hoppin, J. A.; Svec, M.; Dosemeci, M.; Sandler, D. P.; Alavanja, M. C. Cancer incidence among glyphosate-exposed pesticide applicators in the Agricultural Health Study. *Environ. Health Perspect.* 2005, 113 (1), 49-54.
53. Rodwell, D. E.; Tasker, E. J.; Blair, A. M.; et al. Teratology study in rats. Unpublished report no. 401-054, unpublished study no. 999- 021, 1980, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by International Research and Development Corporation. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
54. Rodwell, D. E.; Tasker, E. J.; Blair, A. M.; et al. Teratology study in rats. Unpublished report no. 401-056, 1980, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by International Research and Development Corporation. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U. S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
55. Moxon, M. E. Glyphosate acid: multigeneration reproduction toxicity in rats. Unpublished report no. CTL/P/6332, study no. RR0784, 2000, submitted to WHO by Syngenta Crop Protection AG, Basel, Switzerland, prepared by Zeneca Agrochemicals, Central Toxicology Laboratory, Alderley Park, Macclesfield, Cheshire, England. Pesticide Residues in Food - Evaluations Part 2: Toxicological; International Programme on Chemical Safety, World Health Organization, Food and Agriculture Organization: Rome, Italy, 2004.
56. Arbuckle, T. E.; Lin, Z.; Mery, L. S. An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population. *Environ. Health Perspect.* 2001, 109 (8), 851-7.
57. Brewster, D. W.; Warren, J.; Hopkins, W. E. I. Metabolism of glyphosate in Sprague-Dawley rats: Tissue distribution, identification, and quantification of glyphosate-derived materials following a single oral dose. *Fund. Appl. Toxicol.* 1991, 17, 43-51.
58. Wester, R. C.; Melendres, J.; Sarason, R.; McMaster, J.; Maibach, H. I. Glyphosate skin binding, absorption, residual tissue distribution, and skin decontamination. *Fund. Appl. Toxicol.* 1991, 16, 725-732.
59. Monsanto Corporation. The metabolism of glyphosate in Sprague Dawley rats- Part I. Excretion and tissue distribution of glyphosate and its metabolites following intravenous and oral administration. Unpublished report no. MSL-7215, 1988, submitted to WHO by Monsanto Ltd, prepared by Monsanto Environmental Health Laboratory/Monsanto Life Sciences Research Center, St. Louis, Missouri. Environmental Health Criteria 159, Toxicological Evaluations - Glyphosate; International Programme on Chemical Safety, World Health Organization: Geneva, Switzerland, 1988.
60. Bodden, R. M. Metabolism study of synthetic ¹³C/¹⁴C-labeled glyphosate and aminomethylphosphonic acid in lactating goats. Unpublished report, 1988, cited in Williams, G. M.; Kros, R.; Munro, I. C., prepared by Hazelton Laboratories America, Inc. Safety evaluation and risk assessment of the herbicide Roundup and its active ingredient, glyphosate for humans. *Regul. Toxicol. Pharmacol.* 2000, 31, 117-165.
61. Bodden, R. M., Metabolism study of synthetic ¹³C/¹⁴C-labeled glyphosate and aminomethylphosphonic acid in laying hens. Unpublished report, 1988, cited in Williams, G. C.; Kroes, R.; Munro, I. C., prepared by Hazelton Laboratories America, Inc. Safety evaluation and risk assessment of the herbicide Roundup and its active ingredient, glyphosate for humans. *Regul. Toxicol. Pharmacol.* 2000, 31, 117-165.

GLYPHOSATE


fact sheet



62. WHO. Environmental Health Criteria 159, Toxicological Evaluations - Glyphosate; International Programme on Chemical Safety, World Health Organization: Geneva, Switzerland, 1994.
63. Hori, Y.; Fujisawa, M.; Shimada, K.; Hirose, Y. Determination of the herbicide glyphosate and its metabolite in biological specimens by gas chromatography-mass spectrometry. A case of poisoning by roundup herbicide. *J. Anal. Toxicol.* 2003, 27 (3), 162-166.
64. Ridley, W.; Mirly, K. The metabolism of glyphosate in Sprague-Dawley rats. Part I. Excretion and tissue distribution of glyphosate and its metabolites following intravenous and oral administration. Unpublished report no. 86139 (MSL 7215), RD no. 877, 1988, submitted to U.S. Environmental Protection Agency by Monsanto Company. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
65. Howe, R.; Chott, R.; McClanahan, R. Metabolism of glyphosate in Sprague-Dawley rats. Part II: Identification, characterization, and quantitation of glyphosate and its metabolites after intravenous and oral administration. Unpublished report no. MSL-7206, RD No. 877, 1988, submitted to U.S. Environmental Protection Agency by Monsanto Company. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
66. Talbot, A.; Ku, T. S.; Chen, C. L.; Li, G. C.; Li, H. P. Glyphosate levels in acute Roundup herbicide poisoning. 1994 Toxicology World Congress Abstracts. *Ann. Emerg. Med.* 1995, 26, 717.
67. Aprea, C.; Colosio, C.; Mammone, T.; Minoia, C.; Maroni, M. Biological monitoring of pesticide exposure: a review of analytical methods. *J. Chromatogr. B Analyt. Technol. Biomed. Life Sci.* 2002, 769 (2), 191-219.
68. Motojyuku, M.; Saito, T.; Akieda, K.; Otsuka, H.; Yamamoto, I.; Inokuchi, S. Determination of glyphosate, glyphosate metabolites, and glufosinate in human serum by gas chromatography-mass spectrometry. *J. Chromatogr. B* 2008, 875, 509-514.
69. Sato, K.; Jin, J. Y.; Takeuchi, T.; Miwa, T.; Suenami, K.; Takekoshi, Y.; Kanno, S., Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography. *J. Chromatogr. A* 2001, 919 (2), 313-320.
70. Biagini, R. E.; Smith, J. P.; Sammons, D. L.; MacKenzie, B. A.; Striley, C. A.; Robertson, S. K.; Snawder, J. E. Development of a sensitivity enhanced multiplexed fluorescence covalent microbead immunosorbent assay (FCMIA) for the measurement of glyphosate, atrazine and metolachlor mercapturate in water and urine. *Anal. Bioanal. Chem.* 2004, 379 (3), 368-374.
71. Curwin, B. D.; Hein, M. J.; Sanderson, W. T.; Striley, C.; Heederik, D.; Kromhout, H.; Reynolds, S. J.; Alavanja, M. C. Urinary pesticide concentrations among children, mothers and fathers living in farm and non-farm households in iowa. *Ann. Occup. Hyg.* 2007, 51 (1), 53-65.
72. Castle, S.; Ruzo, L.; Katheryn, S. Degradation study: photodegradation of carbon 14 glyphosate in a buffered aqueous solution at pH 5, 7, and 9 by natural sunlight. Unpublished report no. 233W-1, 233W:1020, 1990, submitted to U.S. Environmental Protections Agency, prepared by Pharmacology and Toxicology Research Laboratory, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.

GLYPHOSATE


fact sheet



73. Brightwell, B.; Malik, J. Solubility, volatility, absorption, and partition coefficients, leaching and aquatic metabolism of MON 0573 and MON 0101. Unpublished report no. MSL-0207, 1978, submitted to U.S. Environmental Protection Agency by Monsanto Company. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
74. Tsui, M. T. 60. K.; Chu, L. M. Environmental fate and non-target impact of glyphosate-based herbicide (Roundup) in a subtropical wetland. *Chemosphere* 2008, 71, 439-446.
75. Nicholls, R. Confined rotational crop study of glyphosate Part I: In-field portion. Unpublished report no. EF-88-22, 1990, submitted to U.S. Environmental Protection Agency by Pan-Agricultural Labs, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA- 738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
76. McMullan, P.; Honeggar, J.; Logusch, E. Confined rotational crop study of glyphosate Part II. Quantitation, characterization and identification of glyphosate and its metabolites in rotational crops. Unpublished report no. MSL-981, 1990, submitted to U.S. Environmental Protection Agency by Monsanto Agricultural Labs. Reregistration Eligibility Decision (RED) Glyphosate; EPA- 738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
77. Curwin, B. D.; Hein, M. J.; Sanderson, W. T.; Nishioka, M. G.; Reynolds, S. J.; Ward, E. M.; Alavanja, M. C. Pesticide contamination inside farm and nonfarm homes. *J. Occup. Environ. Hyg.* 2005, 2 (7), 357-67.
78. Fink, R.; Beavers, J. One-generation reproduction study in bobwhite quail: glyphosate technical. Unpublished report no. 139- 141. 1978, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by Wildlife International Ltd. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
79. Fink, R.; Beavers, J. Final report: One-generation reproduction study in mallard ducks: glyphosate technical. Unpublished report no. 139-143, 1978, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by Wildlife International Ltd. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
80. Folmar, L. C.; Sanders, H. O.; Julin, A. M. Toxicity of the herbicide glyphosate and several of its formulations to fish and aquatic invertebrates. *Arch. Environ. Contam. Toxicol.* 1979, 8, 269-278.
81. Howe, C. M.; Berrill, M.; Pauli, B. D.; Helbing, C. C.; Werry, K.; Veldhoen, N., Toxicity of glyphosate-based pesticides to four North American frog species. *Environ. Toxicol. Chem.* 2004, 23 (8), 1928-1938.
82. McAllister, W.; McKee, M.; Schofield, M.; et al. Chronic toxicity of glyphosate (AB-82-036) to *Daphnia magna* under flow-through test conditions. Chronic toxicity final report ABC 28742. Unpublished report, 1982, submitted to U.S. Environmental Protection Agency by Monsanto Company , prepared by Analytical Bio-Chemistry Laboratories, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.

GLYPHOSATE

fact sheet



83. Bentley, R., Acute toxicity of roundup (technical) to grass shrimp (*Palaemonetes vulgaris*) and fiddler crab (*Uca pagilator*). Unpublished report no. SF1536, 1974, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by Bionomics, Inc. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
84. Bentley, R. Acute toxicity of roundup (technical) to Atlantic oyster (*Crassostrea virginica*). Unpublished report no. SF1536, 1974, submitted to study U.S. Environmental Protection Agency by Monsanto Company, prepared by Bionomics, Inc., CDL 094171-L. Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
85. Frasier, W. D.; Jenkins, G. The acute contact and oral toxicities of CP67573 and MON2139 to worker honey bees. Unpublished report no. 4G1444, 1972, submitted to U.S. Environmental Protection Agency by Monsanto Company, prepared by Huntingdon Research Reregistration Eligibility Decision (RED) Glyphosate; EPA-738-F-93-011; U.S. Environmental Protection Agency, Office of Prevention, Pesticides, and Toxic Substances, Office of Pesticide Programs, U.S. Government Printing Office: Washington, DC, 1993.
86. 2006 Edition of Drinking Water Standards and Health Advisories; EPA-822-R-06-013; U.S. Environmental Protection Agency, Office of Water, U.S. Government Printing Office: Washington, DC, 2006.

NPIC is a cooperative agreement between Oregon State University and the U.S. Environmental Protection Agency (U.S. EPA). The information in this publication does not in any way replace or supersede the restrictions, precautions, directions, or other information on the pesticide label or any other regulatory requirements, nor does it necessarily reflect the position of the U.S. EPA.



Oregon State
University